

Dare to *Compare*



When you *Compare* Great Plains' drills to John Deere drills, Great Plains wins hands down!!!

26' Folding 2-Section



Model: 2S-2600

30' Folding 3-Section



Model: 3S-3000

40' Folding 3-Section



Model: 3S-4000

Compare Seed Box Capacity

Great Plains has 20% more

GP

JD

3.2 bu. ft.

2.8 bu. ft.

Compare Seeding Width

Great Plains is wider

GP

JD

26'

25'

30'

30'

40'

35'



Compare **Double Disk Bearings**



Triple Lip Seals

Single Lip Seals


Great Plains

Bearing Size - 205
Ball Size - .312
Balls - 9
Seals - Triple Lip Both Sides
Bearing Weight - 7.5 oz.


John Deere

Bearing Size - 203
Ball Size - .265
Balls - 8
Seals - Single Lip Both Sides
Bearing Weight - 2.9 oz.

Compare Wheel Track Removal




Great Plains



John Deere



Great Plains has 2 independent hydraulic down pressure circuits. This system allows you to plant at a higher pressure on the center section to remove tractor tracks while planting with less pressure on the wings.



John Deere uses only one down pressure circuit.


Great Plains also has an extra mounting position for lowering the row unit in wheel tracks.




John Deere has no extra mounting positions.



Compare Seed Placement




Great Plains seed tube guides the seed to the bottom of the trench. Our trailing flap reduces bounce which creates excellent depth control.



John Deere drops the seed 6" above the trench creating bounce. Bouncing seed means poor depth control.

Compare **Ground Hugging Capabilities**



Great Plains



Openers pivot around gauge wheel axles, as terrain changes planting depth stays the same.

John Deere

Openers pivot high on frame, as terrain changes so does critical depth control.

**Great Plains significantly out-performs
John Deere on terraces!!!**

Compare Sub-Frame Flexibility



See your **Great Plains** Dealer

for outstanding financing rates from



Great Plains
Acceptance Corporation

For More Information
See us at: www.greatplainsmfg.com

Call us at: 1-800-255-0132
Fax us at: 1-800-328-1997



"We lead because we listen."

Great Plains Manufacturing, Inc.
P.O. Box 5060
Salina, KS 67402-5060

PRSR STD
US POSTAGE
PAID
DES MOINES IA
PERMIT NO 589